Curing Units

Light Curing Units & Lamps

BEYOND - 115437 BEYOND Cordless LED 1000mw/cm2

US$ 395.00

BEYOND - Cordless LED Curing Light - 115/220v - 1000mw/cm2 - # BY-CL628 #NAME? **BEYOND - Cordless LED Curing Light - 115/220v Light Curing and Units and Lamps# 115437 - Mfg # BY-CL628**

Feature:A cordless, rechargeable device that can fit into a shirt pocket, the BEYOND Cordless LED Curing Light is the perfect combination of powerful, lightweight design and advanced LED technology.

Designed to accommodate new composite materials, the BEYOND Cordless LED Curing Light has a wider range of wavelengths and curing speeds available for effectively curing ANY existing composite material.

Description:

*** High-powered curing with a slimmed-down design* Curing power of up to 1000mw/cm2* Dual wavelengths system able to cure any dental composite material* Two timer options: intense, ten second curing function and five second, ramp-up * Followed by intense, ten second curing function* Compatible with ppd and cpq photo-initiators* Recharging base with charge-level display* Cordless with a long-lasting, rechargeable lithium ion battery* Worldwide input voltage 100-240 vac**

WOODPECKER - 110540 Curing Light LED-B

US$ 85.00

WOODPECKER - Light Curing LED BLight Curing Unit & Lamps# 110540

Features* Time setting 5s 10s 15s 50s * Large capacity battery * 1000 w/ Cm2 * A full charge can be used more than 430 times continuously under 10s working time mode* Low stand by power consumption with seventy day's standby time* Constant light intensity, the solidification effect is stable even the battery power decreases* Power Input - AC 100V - 240V 50/60 Hz* Weight - 145g * Dimmensions - 31mm x 34mm x 260mm* Light Output 850-1000m* Weight 145g

ECCO - 114553 ECCO-LIGHT-S-3 Gold 2200 mw

US$ 47.52

ECCO - LIGHT-S-3 Gold Digital Wireless LED Curing Light - 2200mw - 420-480nm - Weight: 220g Battery: Lithiun ion battery - Battery capability: 2200mAh (china)**ECCO - Light-S-3 Yellow Digital Wireless Led Curing Light Led Light Curing Units & Lamps# 114553Led Light Curing Unit Technical Data:* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2 Includes :* Handpiece panel* Charging seat * Light guide* Lithium battery* Eye protection unit**

ECCO - 114558 ECCO-LIGHT-S-6 DELI Black 2200

US$ 95.00

ECCO - LIGHT-S-6 Black DELI Digital Wireless LED Curing Light - 2200mAh - 450-470nm (# DB686 DELI) Power (Max): 5w Weight: 220g Batery: Lithiun ion battery [china]**ECCO - Light-S-4 Black Deli Digital Wireless Led Curing Ligh**

Specifications:

Wireless led dental curing light

Voltage: ac100-240v, 50/60hz

Wavelength : 450 - 470nm

Ce certificated

Light power: more than 2200mw/cm2

Features:

High power led, purely dental blue light.

High articulation optical fiber.

Digital display, clear and intuitive operation.

Three working modes: strong, gradually strong, flashing.

Optional working time: 5sec, 10sec, 15sec, 20sec.

Automatic inactive, automatic power off.

Low battery detection.

Removable large capacity li-ion battery.

Soft pushbutton, nice feel.

Application:solidify all brands of resin materials.

Solidification time and depth: 5s>3mm.

Includes :

Handle

Light guide rod

Adaptor

Base

Eye protector unit

Users guide

Unit weight : 450 gr

DenTASTIC UNO™
5TH Generation
Single Component Dental Adhesive

DenTASTIC UNO combines the patented PMGDM adhesive primer with hydrophilic resins and acetone solvent into an exceptionally strong single component adhesive.

→ FREE SHIPPING IN USA for orders over 500 us$ (placed online only)
→ 15 us$ FLAT RATE for orders over 100 us$ → FREE SHIPPPING in Backorders

Does not include equipment, heavy powders and hazzardous materials

ECCO - 114474 ECCO-LIGHT-S-3 Green 2200 mw

US$ 47.52

ECCO - Light-S-3 Green Digital Wireless Led Curing Light Led Light Curing Units & Lamps# 114474

Led Light Curing Unit Technical Data:* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2 **Includes :*** Handpiece panel* Charging seat * Light guide* Lithium battery* Eye protection unit

ECCO - 114552 ECCO-LIGHT-S-3 Purple 2200 mw

US$ 48.00

ECCO - Light-S-3 Purple Digital Wireless Led Curing Light Led Light Curing units & lamps# 114552Led Light Curing Unit Technical Data:* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v* Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2 **Includes :*** Handpiece panel* Charging seat * Light guide* Lithium battery* Eye protection unit

ECCO - 114551 ECCO-LIGHT-S-3 Red 2200 mw

US$ 48.00

ECCO - Light-S-3 Red Digital Wireless Led Curing Light Led Light Curing Units # 114552Led Light Curing Unit Technical Data:* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2 **Includes :*** Handpiece panel* Charging seat * Light guide* Lithium battery* Eye protection unit

ECCO - 114849 ECCO-LIGHT-S-3 Black 2200 mw

US$ 47.52

ECCO - Light-S-3 Black Digital Wireless Led Curing Light Light curing units & Lamps# 114849

Technical specifications *Spectrum Range: 420 - 480nm*Light Range: 2200mw*Charge One Time Can Use About: 100 Treatments*Charging Time: About 8 Hours*Battery: Lithium Ion Battery*Battery Capability: 2200mah*Imput Power: 5w

Includes : *Handpiece Panel*Charging Seat *Light Guide*Lithium Battery*Eye Protection Unit*Unit Weight : 220 Gr

All equipments are also available in 220 volt. in our website...

WWW.USDENTALDEPOT.COM

ECCO - 114554 ECCO-LIGHT-S-3 Silver 2200 mw

US$ 47.52

ECCO - Light-S-3 Silver Digital Wireless Led Curing Light Light Curing units & Lamps# 114554

Led Light Curing Unit Technical Data:* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2

Includes :* Handpiece panel* Charging seat * Light guide* Lithium battery* Eye protection unit

ECCO - 116594 ECCO-LIGHT-S-5 Black 2000 mw

US$ 48.00

ECCO - Light-S-5 Black Digital Wireless Led Curing Light Curing Units & Lamps# 116594

Technical Data* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2

ECCO - 116592 ECCO-LIGHT-S-5 Blue 2000 mw

US$ 48.00

ECCO - Light-S-5 Blue Digital Wireless Led Curing Light Curing Units & Lamps # 116592

Technical Data* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2

ECCO - 116596 ECCO-LIGHT-S-5 Gray 2000 mw

US$ 48.00

ECCO - Light-S-Gray Digital Wireless Led Curing Light Curing Units & Lamps # 116596

Technical Data* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2

EMBRACE™ WetBond™ Class V
Cervical Restorative Resin

Light Cure
Wet-Bondig
Radiopaque

- Bonds to the slightly moist tooth.
- Self-etching to dentin.
- Cures with all lights.
- 4 shades: A2, A3.5, B2, D2

ECCO - 116595 ECCO-LIGHT-S-5 Green 2000 mw

US$ 48.00

ECCO - Light-S-Green Digital Wireless Led Curing Light Cure# 116595

Technical Data* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2

ECCO - 116593 ECCO-LIGHT-S-5 White 2000 mw

US$ 48.00

ECCO - Light-S-5 White Digital Wireless Led Curing Light Curing Units & Lamps# 116593

Technical Data* Package: 250x150 - x60mm* Gross Weight: 0.43 Kg* Input Voltage: 110v - 240VAC - 50-60HZ* Output Voltage: main d. c. 3.7v * Battery: Lithium-ion Battery* Capability of Battery: 1400mAh* Battery Voltage: 4.2v* Suitable temperature: 5~ 50C* Relative Humidity -< 80%* Solidify time and depth: 420-480mm* Light intensify: 1200-2000mw/cm2

ECCO - 114557 ECCO-LIGHT-S-6 DELI Blue 2200

US$ 95.00

ECCO - LIGHT-S-6 Blue DELI Digital Wireless LED Curing Light - 2200mAh - 450-470nm (# DB686 DELI) Power (Max): 5w Weight: 220g Batery: Lithiun ion battery [china]**ECCO - Light-S-4 Blue Deli Digital Wireless Led Curing Light**

Specifications:

- **Wireless LED Dental Curing Light**
- **Voltage: AC100-240V, 50/60Hz**
- **Wavelength : 450-470nm**
- **CE Certificated**
- **Light Power: more than 2200mw/cm2**

Features:

- **High power LED, purely dental blue light.**
- **High articulation optical fiber.**
- **Digital display, Clear and intuitive operation.**
- **Three working modes: strong, gradually strong, flashing.**
- **Optional working time: 5sec, 10sec, 15sec, 20sec.**
- **Automatic inactive, automatic power off.**
- **Low battery detection.**
- **Removable large capacity Li-ion battery.**
- **Soft pushbutton, nice feel.**
- **Application: Solidify all brands of resin materials.**
- **Solidification time and depth: 5s>3mm.**

Includes :

- **Handle**
- **Light guide rod**
- **Adaptor**
- **Base**
- **Eye protector unit**
- **Users guide**
- **Unit weight : 450 gr**

ECCO - 114559 ECCO-LIGHT-S-6 DELI Green 2200

US$ 95.00

ECCO - LIGHT-S-6 Green DELI Digital Wireless LED Curing Light - 2200mAh - 450-470nm (# DB686 DELI) Power (Max): 5w Weight: 220g Batery: Lithiun ion battery [china]**ECCO - light-s-4 green deli digital wireless led curing light**

Specifications:

- **Wireless led dental curing light**
- **Voltage: ac100-240v, 50/60hz**
- **Wavelength : 450 - 470nm**
- **Ce certificated**
- **Light power: more than 2200mw/cm2**

Features:

- **High power led, purely dental blue light.**
- **High articulation optical fiber.**
- **Digital display, clear and intuitive operation.**
- **Three working modes: strong, gradually strong, flashing.**
- **Optional working time: 5sec, 10sec, 15sec, 20sec.**
- **Automatic inactive, automatic power off.**
- **Low battery detection.**
- **Removable large capacity li-ion battery.**
- **Soft pushbutton, nice feel.**
- **Application: solidify all brands of resin materials.**
- **Solidification time and depth: 5s>3mm.**

Includes :

- **Handle**
- **Light guide rod**
- **Adaptor**

Base

Eye protector unit

Users guide

Unit weight : 450 gr

ECCO - 114556 ECCO-LIGHT-S-6 DELI Purp 2200

US$ 95.00

ECCO - LIGHT-S-6 Purple DELI Digital Wireless LED Curing Light - 2200mAh - 450-470nm (# DB686 DELI) Power (Max): 5w
Weight: 220g Batery: Lithiun ion battery [china]**ECCO - Light-S-4 Purple Deli Digital Wireless Led Curing Light**

Specifications:

Wireless led dental curing light

Voltage: ac100-240v, 50/60hz

Wavelength : 450-470nm

Ce certificated

Light power: more than 2200mw/cm2

Features:

High power led, purely dental blue light.

High articulation optical fiber.

Digital display, clear and intuitive operation.

Three working modes: strong, gradually strong, flashing.

Optional working time: 5sec, 10sec, 15sec, 20sec.

Automatic inactive, automatic power off.

Low battery detection.

Removable large capacity li-ion battery.

Soft pushbutton, nice feel.

Application: solidify all brands of resin materials.

Solidification time and depth: 5s>3mm.

Includes :

Handle

Light guide rod

Adaptor

Base

Eye protector unit

Users guide

Unit weight : 450 gr

BONART- 101253 LC Unit ART-L-3 LED 110v

US$ 243.96

BONART ART-L-3 LED - Light Curing Unit - Plastic - 110volts B# 3FARB3A1PS0 Plastic Handle - Cordless - Comes with Rechargeable Base - 18 month warranty**BONART - Light Curing Unit ART L-3 LED 110volts**

The ART-L3 LED cordless curing light features a bulb light guide/tip and 3 modes of operation: Fast, ramp, and pulse. The pen-style curing light is small and lightweight for comfort.

Technical specifications:

- **Battery: Lithium**
- **Battery charging time: 2 hours**
- **Light intensity: >1,000 mW/cm2**
- **Cure time: 3mm/10 seconds**
- **Optical wavelength 460~470nm**
- **Flux intensity: 1000mW/cm-2**
- **LED power consumption: 3 watt**
- **Atmospheric pressure: 860~1060hPa**

Accessories included:

- **Charging base**
- **AC adapter**
- **ART-L3 light guide**

The ART-L3 is battery powered. When fully charged, the ART-L3 may perform up to 180 ten-second cures. Similarly to the ART-L3 Pro and ART-L5, the ART-L3 may be used as a corded device when battery power is low. Simply unplug the AC adapter from the charging base and plug it into the bottom of the pen handle.

The ART-L3 light guide/tip is not compatible with the ART-L3 Pro and ART-L5.

Operating conditions:

- **Temperature: 0C~60C**
- **Relative Humidity: 10%~90% (non-condensing)**

Storage conditions:

- **Temperature: 0C~60C**
- **Relative Humidity: 10%~90%(non-condensing)**

CE and ISO certified

510K registered

ECCO - 400106 LIGHT-S-0 Ortho Led 2000nw

US$ 210.00

ECCO - Light-S-O Led Curing 2000

Features:

- Portable curing light wireless 2000
- For orthodontics cementation
- Excellent design - stainless steal body
- Ce stamp certificate
- Lithium battery

Standard accessories:

- Curing light
- Connect line (each one set)
- Special power supply
- Operation manual and maintenance card

Technical parameters:

- Power voltage ac100-240v 50-60hz
- Input power 5w
- Light intensity 2200mw/cm2
- Wavelength 400-500nm
- 1 year warranty

ECCO - 101381 LIGHT-S-I Led 1200nw/cm2

US$ 125.00

LIGHT -S-I Led 1200nw/Cm2

Product introduction

This product is used in fast solidification by lighting dental resin.it is a new generation of standard developed led curing light,with humanity intelligent chip, the world advanced high intensity led light and li-on rechargeable battery.

It can cure all the dental resin in the market nowadays, its performance is further surpass the halogen curing light's,which can solidify 4-5mm deepness in 20 seconds.

Standard accessories:

Curing light

Connect line (each one set)

Special power supply

Operation manual and maintenance card

Technical parameters:

Power voltage ac100-240v 50-60hz

Input power 5w

Light intensity 600mw/cm2 and 1200mw/cm2

Wavelength 400-500nm

1 year warranty

ECCO - 118744 LIGHT-S-II Led 1400nw - Black

US$ 92.15

ECCO - LIGHT-S-2 LED Black 1400nw/cm2 - Curing Light - Perfect for composite an Orthodontic cementation - Digital display for time/power and lighting mode. PM : 90-70 and 50% of the Led power - Ce Marked - Timers: 10-20-30-40 sec - 3 LAMP MODES: SHINY = 20 seconds and stop - GRADUAL= gradually increases duriong the set time - GLEAM : Gleams in the Shiny mode during the set time. 8 Seconds solidify 3-4 mm deepness - CONTAINS : accessories - connection line [each one set] (china)**ECCO - # 118744 - LIGHT-S-2 LED Black 1400nw/cm2 - Curing Light Mfg # SD1901**

LED Curing light with digital(Pedestal) SD1901

Functions and features:

Bright aluminum enclosure

2.5W high power LED

High permeability of the glass fiber

Light, becoming bright, pulse three operating modes selection

Auto Standby, Auto Power Off

Battery warning

Large-capacity lithium battery

Suitable for all brands of resin materials

Remarks:

Host, LED lights, two-year warranty (man-made causes not covered by the warranty)

Power lines, transformers, one year warranty, (man-made causes is not covered by the warranty)

Battery warranty for three months, (man-made causes not within the warranty)

Large amount of colors to choose from

Weight: 0.865kg

→ FREE SHIPPING IN USA for orders over 500 us$ (placed online only)
→ 15 us$ FLAT RATE for orders over 100 us$ → FREE SHIPPPING in Backorders
Does not include equipment, heavy powders and hazzardous materials

ECCO - 118745 LIGHT-S-II Led 1400nw - Blue

US$ 95.00

ECCO - LIGHT-S-2 LED Blue 1400nw/cm2 - Curing Light - Perfect for composite an Orthodontic cementation - Digital display for time/power and lighting mode. PM : 90-70 and 50% of the Led power - Ce Marked - Timers: 10-20-30-40 sec - 3 LAMP MODES: SHINY = 20 seconds and stop - GRADUAL= gradually increases duriong the set time - GLEAM : Gleams in the Shiny mode during the set time. 8 Seconds solidify 3-4 mm deepness - CONTAINS : accessories - connection line [each one set] (china)**ECCO - # 118745 - LIGHT-S-2 LED blue 1400nw/cm2 - Curing Light Mfg # SD1902**

LED Rainbow series LED Curing light SD1302

Functions and features:

- **Bright aluminum enclosure**
- **2.5W high power LED**
- **High permeability of the glass fiber**
- **Light, becoming bright, pulse three operating modes selection**
- **Auto Standby, Auto Power Off**
- **Battery warning**
- **Large-capacity lithium battery**
- **Suitable for all brands of resin materials**

Remarks:

- **Host, LED lights, two-year warranty (man-made causes not covered by the warranty)**
- **Power lines, transformers, one year warranty, (man-made causes is not covered by the warranty)**
- **Battery warranty for three months, (man-made causes not within the warranty)**
- **Seven of colors to choose, Green, Wathet Blue, Mazarine, Orange, Salmon, Apple, Green, Blakish Green**
- **Weight: 0.865kg**

ECCO - 118746 LIGHT-S-II Led 1400nw - Purple

US$ 93.10

ECCO - LIGHT-S-2 LED Purple 1400nw/cm2 - Curing Light - Perfect for composite an Orthodontic cementation - Digital display for time/power and lighting mode. PM : 90-70 and 50% of the Led power - Ce Marked - Timers: 10-20-30-40 sec - 3 LAMP MODES: SHINY = 20 seconds and stop - GRADUAL= gradually increases duriong the set time - GLEAM : Gleams in the Shiny mode during the set time. 8 Seconds solidify 3-4 mm deepness - CONTAINS : accessories - connection line [each one set] (china)**ECCO - # 118745 - LIGHT-S-2 LED Purple 1400nw/cm2 - Curing Light Mfg # SD1902**

LED Rainbow series LED Curing light SD1302

Functions and features:

- **Bright aluminum enclosure**
- **2.5W high power LED**
- **High permeability of the glass fiber**
- **Light, becoming bright, pulse three operating modes selection**
- **Auto Standby, Auto Power Off**
- **Battery warning**
- **Large-capacity lithium battery**
- **Suitable for all brands of resin materials**

Remarks:

Host, LED lights, two-year warranty (man-made causes not covered by the warranty)

Power lines, transformers, one year warranty, (man-made causes is not covered by the warranty)

Battery warranty for three months, (man-made causes not within the warranty)

Seven of colors to choose, Green, Wathet Blue, Mazarine, Orange, Salmon, Apple, Green, Blakish Green

Weight: 0.865kg

ECCO - 101921 LIGHT-S-II Led 1400nw - Silver

US$ 95.00

ECCO - # 101921 - LIGHT-S-2 LED Silver 1400nw/cm2 - Curing Light Mfg # SD1901

LED Curing Light with pedestal SD1901

Functions and features: Bright aluminum enclosure 2.5W high power LED High permeability of the glass fiber Light, becoming bright, pulse three operating modes selection Auto Standby, Auto Power Off Battery warning Large-capacity lithium battery Suitable for all brands of resin materials

Remarks: Host, LED lights, two-year warranty (man-made causes not covered by the warranty) Power lines, transformers, one year warranty, (man-made causes is not covered by the warranty) Battery warranty for three months, (man-made causes not within the warranty) Large amount of colors to choose from Weight: 0.865kg To facilitate the removal of the replacement of the lithium battery

ECCO - 102285 Light-S-IV Cur/Bleach Lite LED

US$ 185.00

ECCO - Light S4- Cur/Bleach Lite Led **Excellent For Bleaching and Curing Orthodontics**

Feature:* 600-1400-2200mW/cms* Curing Light* 5 Watt LED* Handpiece* Charging Base* Lithium Battery Charger* Eye Protector Screen* Glass Fiberoptic* User Manual* Beep At Each 5 Second to Indicate Curing Time* Seven Pre-Set CURING TIME - 5/10/15/20/25/30/40 Seconds* Cord/Cordless (Both)* Three PRE SET PROGRAMS (Flat - Intemitent - Incremental) * Fast-Soft Mode 1- Soft Mode 2* Light meter for checking wave lengh anytime

Curing Units

Parts for Light Curing units

ECCO - 103876 Base for ECCO Light-S-2

US$ 15.00

ECCO Base for ECCO Light-S-II replacement part (china)

ECCO - 115026 Bleaching tip 10mm Unit

US$ 38.00

ECCO - Bleaching tip 10mm Unit - Compatible with all led lights with 10mm connection type. (# XXXX) [china]

ECCO - 102161 Bleaching Tip for Led lamp

US$ 39.21

ECCO Bleaching Tip for Led lamp ECCO - Light-S-2 and S-1 - 8mm diameter - [china]







ECCO - 118819 Charger ECCO Light -S2

US$ 18.90

ECCO Charger for ECCO Lights S 2 (Light-s-2) only 110volts / 220volts replacement part (china)**ECCO - Charger For Ecco Parts For Light Curing Unit**
 # 118819

Feature:
* **Lights S 2**
* **Only 110volts / 220volts**
* **Replacement part**

ECCO - 101943 Charger ECCO Light -S3 & S-5

US$ 17.96

ECCO Charger for ECCO Lights (Light-s-5 Light-s-3) only 110volts / 220volts replacement part

ECCO - 117363 Fiber Optic Rod Tip 8x12x9mm

US$ 22.00

ECCO Fiber Optic Rod only - each - 8mm x 12mm x 9mm - For universal light - For ECCO S-6 - Made in USA [replacement parts tip repuesto S5 lampara fotocurado fibra optica] [china]

ECCO - 115396 Fiber Optic Rod Tip 8x15x10mm

US$ 10.89



ECCO Fiber Optic Rod only - each - 8mm x 15mm x 10mm - (Generic Tip for LED curing lamp For universal light - For ECCO S-2 & S-3 - Made in USA) [replacement parts tip repuesto S5 lampara fotocurado fibra optica] (china)

ECCO - 117360 Fiber Optic Rod Tip 8x15x12mm

US$ 10.45

ECCO Fiber Optic Rod only - each - 8mm x 15mm x 12mm - For universal light - For ECCO Light-S-5 - Made in USA [replacement parts tip repuesto S5 lampara fotocurado fibra optica] (china)

ECCO - 122274 Fiber Optic Rod Tip 8x15x12mm

US$ 11.00

ECCO Fiber Optic Rod only - each - 8mm x 15mm x 12mm - (Generic Tip for LED curing lamp For universal light - For ECCO S-2 - Made in USA) [replacement parts tip repuesto S2 lampara fotocurado fibra optica] (china)

ECCO - 115067 Fiber Optic Rod Tip 8x22x12mm

US$ 7.15

ECCO Fiber Optic Rod only - each - 8mm x 22mm x 12mm - For universal light - For ECCO S-4 - Made in USA [replacement parts tip repuesto S5 lampara fotocurado fibra optica] [china]**ECCO - Fiber Optic Rod Only - Each**
Parts For Light Curing Units
 # 115067

Feature
For universal light - For ECCO S-4

Size: 8 mm x 22 mm x 12 mm

ECCO - 101941 Green Button for ECCO Light

US$ 2.49

ECCO Green Replacemnt Button for ECCO Light - replacement part

ECCO - 102238 Light Meter For LED Lamps

US$ 113.75

ECCO Light Meter For light curing LED Lamps replacement part

ECCO - 101942 Replac Batt for ECCO Light

US$ 23.52

ECCO Battery Replacement part for universal light curing lapms ECCO - LIGHT-S-3 & ECCO - LIGHT-S-2 only replacement part [china]

Catalog Index / Indice del Catálogo

Light Curing Units & Lamps ---------- 1
Parts for Light Curing units ---------- 12